

ART 725 MK4

TWO WAY PASSIVE SPEAKER

DESCRIPTION

ART 725 MK4 is a passive two-way system with an accurate acoustic design for club installations and live music. Thanks to the high quality compression driver with a 3" voice coil and the 15" woofer, the ART 725 MK4 delivers clear high frequencies, punchy bass and full and precise mid frequencies. The new aluminium rear panel is equipped with Speakon in/out connectors.



FEATURES

- 1.4" compression driver with 3" voice coil
- 15" woofer, high power, 3.5" voice coil
- 133 dB max spl
- Input Power Rating: 650 W AES



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB):	55 Hz ÷ 20000 Hz
	Max SPL @ 1m:	133 dB
	Horizontal coverage angle:	90°
	Vertical coverage angle:	60°
	System Sensitivity:	99 dB
Power section	Crossover Frequencies:	1400
Transducers	Compression Driver:	1 x 1.4" neo, 3.0" v.c
	Nominal Impedance (ohm):	8 ohm
	Input Power Rating:	110 W AES, 220 W PROGRAM POWER
	Sensitivity:	109 dB, 1W @ 1m
	Woofer:	15" neo, 3.5" v.c
	Nominal Impedance (ohm):	8 ohm
	Input Power Rating:	650 W AES, 1300 W PROGRAM POWER
	Sensitivity:	98 dB, 1W @ 1m
Input/Output section	Input connectors:	Speakon
	Output connectors:	Speakon
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	PP Composite
	Hardware:	2 x M10
	Handles:	1 Top, 2 Side
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
Size	Height:	708 mm / 27.87 inches
	Width:	437 mm / 17.2 inches
	Depth:	389 mm / 15.31 inches
	Weight:	20.5 kg / 45.19 lbs
Shipping informations	Package Height:	725 mm / 28.54 inches
	Package Width:	550 mm / 21.65 inches
	Package Depth:	505 mm / 19.88 inches
	Package Weight:	23.7 kg / 52.25 lbs

PART NUMBER

· 13000548

ART 725 MK4

EAN 8024530015251



