



Two lines of **Projectors** and **Profilers** for stands, events, theater and broadcast.

### PROFILO LED 200 CT

200 W white LED with linearly tunable color temperature (2700 K - 6500 K) Linear zoom 15.5° - 38°

#### PROFILO LED 200 FC

200 W Full Color (RGBW) LED with 5600 K white Linear zoom 19° - 41°

# **PROFILO LED**

- All products are available fitted with different LED sources:
  - .White
  - .White with linearly tunable color temperature .Full color (RGBW)
- Different power ranges for various applications
- Manual control or RDM / DMX
- SCENA models are also available fitted with motorized linear zoom



Linear zoom 20° - 36°

PROFILO LED 80 CT

Linear zoom 20° - 36°

PROFILO LED 80 FC 100 W Full Color (RGBW) LED

with 6500 K white

Linear zoom 20° - 36°

100 W white LED with linearly tunable color temperature (2700 K - 6500 K)

with white 6500 K Linear zoom 14° - 77°

SCENA LED 80

100 W white LED 3000 K also avaliable 4000 K or 5000 K Linear zoom 14° - 77°

#### SCENA LED 80 CT

100 W white LED with linearly tunable color temperature (2700 K - 6000 K) Linear zoom 14° - 77°

#### SCENA LED 80 FC

100 W Full Color (RGBW) LED



SCENA LED 200

also avaliable 4000 K or 5600 K


#### SCENA LED 200 CT

200 W white LED with linearly tunable color temperature (2700 K - 6500 K) Linear zoom 6.5° - 70°

#### SCENA LED 200 FC

200 W Full Color (RGBW) LED with white 5600 K Linear zoom 14° - 60°

## **SCENA LED**



- High energy efficiency
  - Wide excursion zoom
    - · Compact and lightweight
      - Silent operating mode



**Features** 















ITALIAN PROFESSIONAL LIGHTING

We have the right solution to light up your projects



dts-lighting.it

Phone +39 0541 611131 Fax +39 0541 611111 Email info@dts-lighting.it

D.T.S. Illuminazione srl via Fagnano Selve 12/14 47843 Misano Adriatico (RN) ITALY