

# 64540 650 W 230 V

Halogen lamps, medium/high voltage, single-ended



## Areas of application

- Professional film and TV work

#### **Product features**

- Operation at mains voltage: 120 V | 230 V | 240 V

- Color temperature: 2,900 K | 3,000 K (with longer lifespan)

- Color temperature: 3,200 K (for professional film and TV work)

- Color temperature: 3,400 K (for maximum luminous efficacy)





# Product datasheet

### Technical data


### **Electrical data**

Nominal wattage	650.00 W	
Nominal voltage	230 V	
Nominal current	2.82 A	

### Photometrical data

Nominal luminous flux	20000 lm
Color temperature	3400 K

# Dimensions & weight







Diameter	24.0 mm
Length	57.5 mm
Illuminated field	14.0*15.0 mm²
Filament diameter	15.0 mm

# Lifespan

Lifespan	15 h

### Additional product data

Base (standard designation)	GX6.35
-----------------------------	--------

# **Capabilities**

Dimmable	Yes
Burning position	Any

### Certificates & standards


EEI – Energy Label	В
--------------------	---

# Product datasheet

# **Country specific categorizations**

ANSI code	BVM	
Order reference	64540 BVM 650W	

### Product datasheet



### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899158221	64540 650 W 230 V	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	13.60 g
4052899158238	64540 650 W 230 V	Shipping carton box 20	205 mm x 142 mm x 76 mm	2.21 dm <sup>3</sup>	356.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.