

7786R 1000W R7s 240V

Product family description

Halogen High Voltage DE – great color for film and videoThe high, constant light output and consistent color temperature of these double ended high voltage halogen lamps ensure attractive, accurately exposed pictures for both film and video. In addition, the wide choice of dimensions and power ratings opens new levels of creative freedom for the luminaire designer.

Product Features

- Studio/film: Color temperature of 3200K
- Video: High constant light output and color temperature

Product Benefits

- · Studio/film: Good color rendering
- Video: Makes attractive, accurately exposed pictures possible

Application

- · Studio/film: Studio, film, theater and disco lighting
- · Video: Portable film and video lights

Product data				
Order code	492135 25			
Full product name	7786R 1000VV R7s 240V 1CT			
Packing type	I Carton			
Pieces per pack				
Net weight per piece	10.400 GR			
Successor order code				
Philips Code	7786R			
ANSI Code				
LIF Code	P2/20			
Cap-Base	R7s			
Bulb Finish	Clear			
Filament Shape	Single Coil			
Operating Position	pI5			
Main Application	Entertainment			
Packing Type	ICT [I Carton]			




Product data				
Packing Configuration	10			
Life to 50% failures	300 hr			
Lamp Wattage	1000W			
Voltage	240V			
Rapid Acting HBC Fuse	6.3 V			
Luminous Flux Lamp	30000 Lm			




R7s

XHSFDE R7s







Cap-Base R7s

Operating Position p15








Non-household

Theater



R7s, RX7s

XHSFDE R7s/RX7s

	A	A	A	С	D	W
Full produc t name	Min	Nom	Max	Max	Max	Nom
7786R 1000 W R7s	112.6	114.2	115.8	117.5	Н	60



	A	A	A	С	D	W	
Full produc t name 240V ICT	Min	Nom	Max	Max	Max	Nom	
Full product name							
7786R 1000W R7s 240V 1CT							



$@2009\ Koninklijke\ Philips\ Electronics\ N.V.$

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liablity will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000