

Maxi SharXS HTI 2000 W/D10/60

Maxi SharXS HTI | Metal halide lamps, double-ended



Product benefits

- Short 10 mm arc for higher efficiency
- Improved thermal load capacity (up to 450 °C) due to eXtreme Seal (XS) technology

Product features

- Modular design with overall length of 220 mm



Technical data


Electrical data

Nominal voltage	105 V
Nominal current	0.019 A
Nominal wattage	2000.00 W

Photometrical data

Luminance	40000 cd/cm ²
Color temperature	6000 K
Color rendering index Ra	> 90

Dimensions & weight



Diameter	28.0 mm
Length	220.0 mm
Light center length (LCL)	90.0 mm

Temperatures & operating conditions

Maximum permitted pinch temperature	450 °C
-------------------------------------	--------

Lifespan

Lifespan	750 h
----------	-------

Additional product data

Base (standard designation)	SFc15.5
-----------------------------	---------

Capabilities

Burning position	Any
------------------	-----

Product datasheet

Certificates & standards

EEI – Energy Label	C
--------------------	---

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321334947	OSRHTI2000D1060	-	-	-

Product datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, Maxi SharXS HTI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321334947	Maxi SharXS HTI 2000 W/D10/60	Shipping carton box 1	181 mm x 82 mm x 240 mm	3.56 dm ³	245.67 g
4008321334954	Maxi SharXS HTI 2000 W/D10/60	Shipping carton box 10	115 mm x 78 mm x 317 mm	2.84 dm ³	246.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.