# **Material Safety Data Sheet**





# 1. Product and company identification

Product name : MDG Low Fog Fluid

Trade name : LOW FOG

Material uses : Fog fluids for MDG fog generators: ICE FOG Series (Compack and Q), MM Series (Mini

and Mega).

Supplier/Manufacturer : MDG Fog Generators Ltd

10301 avenue Pelletier

Montréal, QC Canada, H1H 3R2 Tel: 514-272-6040 Toll free: 1-800-663-3020 Fax: 514-722-3229 Email: info@mdgfog.com

Code : LF-B2.5, LF-C20, LF-D205

MSDS authored by : KMK Regulatory Services inc.

<u>In case of emergency</u> : +1 (800) 663-3020

+1 (514) 272-6040 info@mdgfog.com

Monday to Friday, 8:00 am to 5:00 pm

Product type : Liquid.

### 2. Hazards identification

**Emergency overview** 

Color : Colorless.

Physical state : Liquid. [Clear.]

Odor : Characteristic.

Hazard statements : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN

THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Precautions : No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin

and clothing.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.Skin: No known significant effects or critical hazards.Eyes: No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms



### MDG Low Fog Fluid

### 2. Hazards identification

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.

Medical conditions aggravated by overexposure : None known.

See toxicological information (section 11)

# 3. Composition/information on ingredients

### **United States**

 Name
 CAS number
 %

 Propylene glycol
 57-55-6
 60 - 100

Canada

 Name
 CAS number
 %

 Propylene glycol
 57-55-6
 60 - 100

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

**Eye contact** : Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.

**Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 20 minutes. Get medical attention if symptoms occur.

Inhalation : Move exposed person to fresh air. Get medical attention if symptoms occur.

Ingestion
 : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

# 5. Fire-fighting measures

Flammability of the product : No specific fire or explosion hazard.

**Extinguishing media** 

**Suitable** 

Notes to physician

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Hazardous thermal : Decomposition products may include the following materials: carbon dioxide carbon monoxide

Special protective equipment for fire-fighters

No special protection is required.

### 6. Accidental release measures

Personal precautions : Put on appropriate personal protective equipment (see section 8).

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

**Environmental precautions** 

#### Accidental release measures 6.

### **Small spill**

Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

#### Handling and storage 7.

#### Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

#### **Storage**

: Store in accordance with local regulations.

#### 8. Exposure controls/personal protection

#### **United States**

Ingredient	Exposure limits
Propylene glycol	AIHA WEEL (United States, 1/2008). TWA: 10 mg/m³ 8 hour(s).

### Canada

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
1,7 = 3,7 =	ON 6/2008 US AIHA 1/2008	- 50 -	10 155 10	- - -	-	- - -	- -	- - -	- - -	- -	[a] [b]

Form: [a]aerosol [b]total vapour and aerosol

### Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

**Engineering measures** 

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

#### **Personal protection**

Respiratory

A respirator is not needed under normal and intended conditions of product use.

**Hands** 

Disposable vinyl gloves.

Eves

Recommended: Safety glasses.

Skin

**Environmental exposure** 

Recommended: Lab coat.

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### Physical and chemical properties 9.

Physical state

: Liquid. [Clear.]

Flash point

: Closed cup: >104°C (219.2°F) [Pensky-Martens.]

Color

: Colorless.

Odor

Characteristic.

Hq

: 7.2 [Conc. (% w/w): 10%]

#### Physical and chemical properties 9.

: 122°C (251.6°F) **Boiling/condensation point Melting/freezing point** : <-51°C (<-59.8°F)

: 1.04 g/cm<sup>3</sup> [25°C (77°F)] **Specific gravity** 

Vapor density : >1 [Air = 1]

: 100% (v/v), 100% (w/w) Volatility

VOC 70 - 90 % (w/w)

: Dynamic: 19 mPa·s (19 cP) **Viscosity** 

**Ionicity (in water)** : Non-ionic.

Solubility Miscible in water.

#### 10. Stability and reactivity

**Chemical stability** : The product is stable.

Conditions to avoid : No specific data.

**Materials to avoid** Reactive or incompatible with the following materials: oxidizing materials and acids.

: Under normal conditions of storage and use, hazardous decomposition products should **Hazardous decomposition** 

products not be produced.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

**Hazardous polymerization** : Under normal conditions of storage and use, hazardous polymerization will not occur.

### **Toxicological information**

**Acute toxicity** 

Product/ingredient name Result **Species** Dose **Exposure** 

Propylene glycol LD50 Dermal 20800 mg/kg Rabbit LD50 Oral Rat

20 g/kg

**Chronic toxicity** : No specific data.

#### **12**. **Ecological information**

: Not established **Environmental effects** 

Aquatic ecotoxicity

**Species** Product/ingredient name **Test** Result **Exposure** Propylene glycol Acute EC50 >10000000 ug/L Daphnia

48 hours Acute LC50 710000 ug/L Fish 96 hours Acute LC50 4919 mg/L Daphnia 48 hours Chronic NOEC 600000 ug/L Fish 96 hours Chronic NOEC 660000 ug/L Daphnia 48 hours

#### **Disposal considerations 13.**

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

# 14. Transport information

DOT/TDG/IMDG/IATA : Not regulated.

# 15. Regulatory information

**United States** 

**HCS Classification** 

: Not regulated.

**U.S. Federal regulations** 

: TSCA 8(b) inventory: All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: Not listed. SARA 302/304 emergency planning and notification: Not listed. SARA 302/304/311/312 hazardous chemicals: Not Listed.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Not listed.

Clean Water Act (CWA) 307: Not listed. Clean Water Act (CWA) 311: Not listed.

Clean Air Act (CAA) 112 accidental release prevention: Not listed. Clean Air Act (CAA) 112 regulated flammable substances: Not listed. Clean Air Act (CAA) 112 regulated toxic substances: Not listed.

Clean Air Act Section 112(b) Hazardous Air **Pollutants (HAPs)** 

Not listed

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

**DEA List I Chemicals** 

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** (Essential Chemicals) : Not listed

State regulations

: Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are

listed.

Louisiana Reporting: None of the components are listed. Louisiana Spill: None of the components are listed. Massachusetts Spill: None of the components are listed.

Massachusetts Substances: None of the components are listed. Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed. New Jersey Hazardous Substances: None of the components are listed.

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. New York Acutely Hazardous Substances: None of the components are listed. New York Toxic Chemical Release Reporting: None of the components are listed. Pennsylvania RTK Hazardous Substances: The following components are listed:

Propylene glycol

Rhode Island Hazardous Substances: None of the components are listed.

California Prop. 65

No products were found.

Canada

WHMIS (Canada) : Not controlled under WHMIS (Canada).

# 15. Regulatory information

**Canadian lists** 

: CEPA Toxic substances: None of the components are listed.

**Canadian ARET:** None of the components are listed. **Canadian NPRI:** None of the components are listed.

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

**Canada inventory** 

: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### **International regulations**

**International lists** 

: Australia inventory (AICS): All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Japan inventory: All components are listed or exempted.

**Korea inventory:** All components are listed or exempted.

**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Chemical Weapons

Convention List Schedule I

**Chemicals** 

: Not listed

**Chemical Weapons** 

**Convention List Schedule** 

**II Chemicals** 

...

Chemical Weapons
Convention List Schedule

III Chemicals

: Not listed

: Not listed

# 16. Other information

**United States** 

**Label requirements** 

: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



**Date of issue** : 12/15/2009



MDG Low Fog Fluid

# 16. Other information

Date of previous issue : 11/15/2009

Version : 4.2

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.